

ARMATURA GWINTOWANA

47-001313	Verschr. FL. I-Gew.	V2A	"2.1/2 "" x 71,0 mm"	.	18	0	STK
47-000003	HALBE MUFFEN DIN 2986	V4A	" 1/8 "" x 11,0 mm"	.	179	0	STK
47-000015	Muffen „hnl.DIN 2986	V4A	" 1/8 "" x 17,0 mm"	.	-95	199,09	STK
47-000040	Anschweisnippel Gewinde nach DIN 2999	V4A	" 1/8 "" x 30,0 mm"	.	138	0	STK
47-000059	Rohrdoppelnippel DIN 2982	V4A	" 1/8 "" x 30,0 mm"	.	201	0	STK
47-000131	Skt. - Doppelnippel Gewinde DIN 259	V4A	" 1/8 "" x 30,0 mm"	.	25	0	STK
47-000186	Skt.-Stopfen	V4A	" 1/8 "" x 16,0 mm"	.	149	0	STK
47-000198	Winkel 45/ I-GEW.	V4A	" 1/8 "" 45 GRAD"	.	20	0	STK
47-000207	Winkel 90 Grad I-Gew.	V4A	" 1/8 "" x 00,0 mm"	.	99	0	STK
47-000227	T.-Stück IG „DIN 2987	V4A	" 1/8 "" x 30,5 mm"	.	180	0	STK
47-001140	Rohrnippel DIN 2982	V4A	" 1/8 "" x 17,0 mm"	.	305	0	STK
47-001205	Winkel 90 Grad I/A-Gew.	V4A	" 1/8 "" x 00,0 mm"	.	228	0	STK
47-000109	Skt.-Kappen	V4A	" 1/8 "" x 16,0 mm"	.	400	0	STK
47-000004	Halbe Muffen „hnl. DIN 2986	V4A	" 1/4 "" x 13,0 mm"	.	212	0	STK
47-000025	Muffen „hnl.DIN 2986	V4A	" 1/4 "" x 25,0 mm"	.	1408	0	STK
47-000041	Anschweisnippel Gewinde nach DIN 2999	V4A	" 1/4 "" x 30,0 mm"	.	333	0	STK
47-000060	Rohrdoppelnippel DIN 2982	V4A	" 1/4 "" x 30,0 mm"	.	145	0	STK
47-000132	Skt. - Doppelnippel	V4A	" 1/4 "" x 32,0 mm"	.	325	499,09	STK
47-000165	Skt.-Kappen	V4A	" 1/4 "" x 17,0 mm"	.	417	0	STK
47-000176	Vkt.-Stopfen	V4A	" 1/4 "" x 8,0 mm"	.	84	0	STK
47-000187	Skt.-Stopfen	V4A	" 1/4 "" x 17,5 mm"	.	803	0	STK
47-000208	Winkel 90 Grad I-Gew.	V4A	" 1/4 "" x 00,0 mm"	.	90	0	STK

47-000228	T.-Stoek IG „DIN 2987	V4A	" 1/4 "" x 39,0 mm"	.	322	0	STK
47-000238	Reduziermuffen „DIN 2988	V4A	" 1/4 "" x 1/8 "" x 29,0 mm"	.	23	0	STK
47-000254	Skt.-Red.-Stoek	V4A	" 1/4 "" x 1/8 "" x 17,0 mm"	.	60	99,09	STK
47-000280	Skt.-Red.-Nippel	V4A	" 1/4 "" x 1/8 "" x 31,0 mm"	.	252	0	STK
47-000309	Verschr. KO. I-Gew.	V4A	" 1/4 "" x 34,5 mm"	.	264	0	STK
47-000329	Verschr. KO. I/A-Gew.	V4A	" 1/4 "" x 51,0 mm"	.	24	0	STK
47-000432	Verschr. KO. S/S-Ende	V4A	" 1/4 "" x 31,0 mm"	.	130	0	STK
47-001189	Verschr. FL. I/A-Gew.	V4A	" 1/4 "" x 51,0 mm"	.	23	0	STK
47-001197	Verschr. FL. I-Gew.	V4A	" 1/4 "" x 34,5 mm"	.	65	0	STK
47-001206	Winkel 90 Grad I/A-Gew.	V4A	" 1/4 "" x 00,0 mm"	.	10	198,18	STK
47-000001	Verschr. FL. S/S-Ende	V4A	" 1/4 "" x 31,0 mm"	.	144	0	STK
47-000005	Halbe Muffen „hnl.DIN 2986	V4A	" 3/8 "" x 14,0 mm"	.	699	0	STK
47-000026	Muffen „hnl.DIN 2986	V4A	" 3/8 "" x 26,0 mm"	.	2459	0	STK
47-000042	Anschweissnippel Gewinde nach DIN 2999	V4A	" 3/8 "" x 30,0 mm"	.	170	0	STK
47-000068	Rohrdoppelnippel DIN 2982	V4A	" 3/8 "" x 40,0 mm"	.	334	0	STK
47-000133	Skt. - Doppelnippel	V4A	" 3/8 "" x 33,0 mm"	.	-6	99,09	STK
47-000188	Skt.-Stopfen	V4A	" 3/8 "" x 19,5 mm"	.	220	0	STK
47-000209	Winkel 90 Grad I-Gew.	V4A	" 3/8 "" x 00,0 mm"	.	32	49,09	STK
47-000219	Winkel 90 Grad I/A-Gew.	V4A	" 3/8 "" x 00,0 mm"	.	140	0	STK
47-000229	T.-Stoek IG „DIN 2987	V4A	" 3/8 "" x 46,0 mm"	.	164	0	STK
47-000256	Skt.-Red.-Stoek	V4A	" 3/8 "" x 1/4 "" x 18,5 mm"	.	61	0	STK
47-000282	Skt.-Red.-Nippel	V4A	" 3/8 "" x 1/4 "" x 34,5 mm"	.	156	99,09	STK
47-000310	Verschr. KO. I-Gew.	V4A	" 3/8 "" x 38,0 mm"	.	336	0	STK
47-000320	Verschr. Fl. I-Gew.	V4A	" 3/8 "" x 38,0 mm"	.	31	0	STK

47-000330	Verschr. KO. I/A-Gew.	V4A	" 3/8 "" x 53,0 mm"	.	53	0	STK
47-000551	Verschr. KO. S/S-Ende	V4A	" 3/8 "" x 38,0 mm"	.	13	49,09	STK
47-000673	Verschr. FL. S/S-Ende	V4A	" 3/8 "" x 38,0 mm"	.	125	0	STK
47-000831	Rohnippel DIN 2982	V4A	" 3/8 "" x 22,0 mm"	.	799	0	STK
47-001190	Verschr.FL. I/A-Gew.	V4A	" 3/8 "" x 53,0 mm"	.	172	0	STK
47-001207	Skt.-Kappen	V4A	" 3/8 "" x 17,0 mm"	.	0	300	STK
47-001208	Vkt.-Stopfen	V4A	" 3/8 "" x 8,0 mm"	.	155	99,09	STK
47-000847	Rohnippel DIN 2982	V4A	" 1/4 "" x 18,0 mm"	.	401	0	STK
47-000006	Halbe Muffen „hnl.DIN 2986	V4A	" 1/2 "" x 18,0 mm"	.	815	0	STK
47-000030	Muffen „hnl.DIN 2986	V4A	" 1/2 "" x 34,0 mm"	.	8344	1999,09	STK
47-000043	Anschweissnippel Gewinde nach DIN 2999	V4A	" 1/2 "" x 35,0 mm"	.	2297	0	STK
47-000044	Anschweissnippel Gewinde nach DIN 2999	V4A	" 1/2 "" x 100,0 mm (Sonderbaul„nge)"	.	21	0	STK
47-000077	Rohrdoppelnippel DIN 2982	V4A	" 1/2 "" x 60,0 mm"	.	417	0	STK
47-000081	Rohrdoppelnippel „DIN 2982	V4A	" 1/2 "" x 100,0 mm (Sonderbaul„nge)"	.	174	0	STK
47-000123	Rohnippel DIN 2982	V4A	" 1/2 "" x 25,0 mm"	.	252	0	STK
47-000134	Skt. - Doppelnippel Gewinde DIN 259	V4A	" 1/2 "" x 41,0 mm"	.	-153	999,09	STK
47-000167	Skt.-Kappen	V4A	" 1/2 "" x 21,0 mm"	.	51	149,09	STK
47-000178	Vkt.-Stopfen	V4A	" 1/2 "" x 10,0 mm"	.	370	499,09	STK
47-000189	Skt.-Stopfen	V4A	" 1/2 "" x 22,0 mm"	.	923	299,09	STK
47-000210	Winkel 90 Grad I-Gew.	V4A	" 1/2 "" x 00,0 mm"	.	735	499,09	STK
47-000220	Winkel 90 Grad I/A-Gew.	V4A	" 1/2 "" x 00,0 mm"	.	276	199,09	STK
47-000230	T.-Stück IG „DIN 2987	V4A	" 1/2 "" x 56,0 mm"	.	20	299,09	STK
47-000258	Skt.-Red.-Stück	V4A	" 1/2 "" x 1/4 "" x 21,0 mm"	.	1	99,09	STK

47-000259	Skt.-Red.-Stoek	V4A	" 1/2 "" x 3/8 "" x 21,0 mm"	.	35	0	STK
47-000285	Skt.-Red.-Nippel	V4A	" 1/2 "" x 3/8 "" x 36,5 mm"	.	186	0	STK
47-000311	Versch. KO. I-Gew.	V4A	" 1/2 "" x 40,5 mm"	.	278	99,09	STK
47-000321	Versch. FL. I-Gew.	V4A	" 1/2 "" x 40,5 mm"	.	6	99,09	STK
47-000331	Versch. KO. I/A-Gew.	V4A	" 1/2 "" x 53,0 mm"	.	140	99,09	STK
47-001191	Versch. FL.I/A-Gew.	V4A	" 1/2 "" x 53,0 mm"	.	136	99,09	STK
47-001199	Versch. KO. S/S-Ende	V4A	" 1/2 "" x 40,0 mm"	.	35	99,09	STK
47-001272	Versch. FL. S/S-Ende	V4A	" 1/2 "" x 40,0 mm"	.	40	0	STK
47-000241	Reduziermuffen „DIN 2988	V4A	" 1/2 "" x 3/8 "" x 32,0 mm"	.	120	0	STK
47-001204	WINKEL I.- GEW.	V4A	" 1/2 "" 45 GRAD"	.	10	0	STK
47-000007	Halbe Muffen „hnl.DIN 2986	V4A	" 3/4 "" x 19,0 mm"	.	572	0	STK
47-000031	Muffen „hnl.DIN 2986	V4A	" 3/4 "" x 36,0 mm"	.	3983	1999,09	STK
47-000045	Anschweissnippel Gewinde nach DIN 2999	V4A	" 3/4 "" x 40,0 mm"	.	1828	0	STK
47-000084	Rohrdoppelnippel DIN 2982	V4A	" 3/4 "" x 60,0 mm"	.	415	0	STK
47-000087	Rohrdoppelnippel „DIN 2982	V4A	" 3/4 "" x 100,0 mm (Sonderbaul„nge)"	.	63	0	STK
47-000135	Skt. - Doppelnippel Gewinde DIN 259	V4A	" 3/4 "" x 45,0 mm"	.	85	299,09	STK
47-000168	Skt.-Kappen	V4A	" 3/4 "" x 21,0 mm"	.	71	0	STK
47-000179	Vkt.-Stopfen	V4A	" 3/4 "" x 12,0 mm"	.	287	0	STK
47-000190	Skt.-Stopfen	V4A	" 3/4 "" x 23,5 mm"	.	247	199,09	STK
47-000211	Winkel 90 Grad I-Gew.	V4A	" 3/4 "" x 00,0 mm"	.	413	0	STK
47-000221	Winkel 90 Grad I/A-Gew.	V4A	" 3/4 "" x 00,0 mm"	.	133	0	STK
47-000231	T.-Stoek IG „DIN 2987	V4A	" 3/4 "" x 63,0 mm"	.	86	99,09	STK
47-000242	Reduziermuffen „DIN 2988	V4A	" 3/4 "" x 1/2 "" x 39,0 mm"	.	-7	99,09	STK
47-	Skt.-Red.-Stoek	V4A	" 3/4 "" x 1/2 "" x	.	263	0	STK

000262			24,0 mm"				
47-000288	Skt.-Red.-Nippel	V4A	" 3/4 "" x 1/2 "" x 41,0 mm"	.	80	99,09	STK
47-000312	Versch. KO. I-Gew.	V4A	" 3/4 "" x 45,0 mm"	.	243	99,09	STK
47-000322	Versch. FL. I-Gew.	V4A	" 3/4 "" x 45,0 mm"	.	43	99,09	STK
47-000332	Versch. KO. I/A-Gew.	V4A	" 3/4 "" x 60,0 mm"	.	234	99,09	STK
47-001182	Red. - Muffen	V4A	" 3/4 "" X 3/8 ""	.	20	0	STK
47-001186	Skt.-Red.-Nippel	V4A	" 3/4 "" x 3/8 "" x 41,0 mm"	.	15	99,09	STK
47-001192	Versch. FL.I/A-Gew.	V4A	" 3/4 "" x 60,0 mm"	.	55	0	STK
47-001200	Versch. KO. S/S-Ende	V4A	" 3/4 "" x 47,5 mm"	.	110	99,09	STK
47-001271	Versch. FL. S/S-Ende	V4A	" 3/4 "" x 47,5 mm"	.	280	0	STK
47-001176	Rohrnippel DIN 2982	V4A	" 3/4 "" x 30,0 mm"	.	17	0	STK
47-000008	Halbe Muffen „hnl.DIN 2986	V4A	"1 "" x 21,0 mm"	.	578	0	STK
47-000032	Muffen „hnl.DIN 2986	V4A	"1 "" x 43,0 mm"	.	2483	4999,09	STK
47-000047	Anschweissnippel Gewinde nach DIN 2999	V4A	"1 "" x 40,0 mm"	.	2517	0	STK
47-000048	Anschweissnippel Gewinde nach DIN 2999	V4A	"1 "" x 100,0 mm (Sonderbaul,,nge)"	.	49	0	STK
47-000092	Rohrdoppelnippel DIN 2982	V4A	"1 "" x 60,0 mm"	.	373	0	STK
47-000098	Rohrdoppelnippel „DIN 2982	V4A	"1 "" x 100,0 mm (Sonderbaul,,nge)"	.	53	0	STK
47-000125	Rohrnippel DIN 2982	V4A	"1 "" x 35,0 mm"	.	152	0	STK
47-000136	Skt. - Doppelnippel Gewinde DIN 259	V4A	"1 "" x 49,0 mm"	.	209	499,09	STK
47-000169	Skt.-Kappen	V4A	"1 "" x 28,0 mm"	.	91	199,09	STK
47-000180	Vkt.-Stopfen	V4A	"1 "" x 13,0 mm"	.	99	0	STK
47-000191	Skt.-Stopfen	V4A	"1 "" x 27,0 mm"	.	38	99,09	STK
47-000212	Winkel 90 Grad I-Gew.	V4A	"1 "" x 00,0 mm"	.	99	499,09	STK
47-000222	Winkel 90 Grad I/A-Gew.	V4A	"1 "" x 00,0 mm"	.	183	499,09	STK
47-	T.-Stück IG „DIN 2987	V4A	"1 "" x 72,0 mm"	.	16	299,09	STK

000232							
47-000264	SKT. - Reduzierstück	V4A	"1" X 3/8"	.	22	0	STK
47-000265	Skt.-Red.-Stück	V4A	"1" x 1/2" x 27,5 mm"	.	89	0	STK
47-000266	Skt.-Red.-Stück	V4A	"1" x 3/4" x 27,5 mm"	.	462	0	STK
47-000292	Skt.-Red.-Nippel	V4A	"1" x 3/4" x 45,0 mm"	.	102	99,09	STK
47-000313	Versch. KO. I-Gew.	V4A	"1" x 51,0 mm"	.	136	149,09	STK
47-000324	Versch. FL. I-Gew.	V4A	"1" x 51,0 mm"	.	102	149,09	STK
47-000333	Versch. KO. I/A-Gew.	V4A	"1" x 66,0 mm"	.	156	99,09	STK
47-000441	Versch. FL. S/S-Ende	V4A	"1" x 49,5 mm"	.	67	0	STK
47-001015	Reduziermuffen „DIN 2988	V4A	"1" x 3/4" x 42,0 mm"	.	507	0	STK
47-001187	SKT. - Red.-Doppelnippel	V4A	"1" X 3/8"	.	4	0	STK
47-001193	Versch. F. I/A-Gew.	V4A	"1" x 66,0 mm"	.	56	99,09	STK
47-001201	Versch. KO. S/S-Ende	V4A	"1" x 49,5 mm"	.	216	0	STK
47-000009	Halbe Muffen „hnl.DIN 2986	V4A	"1.1/4" x 23,0 mm"	.	463	0	STK
47-000033	Muffen „hnl.DIN 2986	V4A	"1.1/4" x 48,0 mm"	.	448	2024,09	STK
47-000049	Anschweissnippel Gewinde nach DIN 2999	V4A	"1.1/4" x 50,0 mm"	.	921	0	STK
47-000101	Rohrdoppelnippel DIN 2982	V4A	"1.1/4" x 80,0 mm"	.	439	0	STK
47-000170	Skt.-Kappen	V4A	"1.1/4" x 31,5 mm"	.	27	99,09	STK
47-000181	Vkt.-Stopfen	V4A	"1.1/4" x 16,0 mm"	.	8	0	STK
47-000213	Winkel 90 Grad I-Gew.	V4A	"1.1/4" x 00,0 mm"	.	46	99,09	STK
47-000223	Winkel 90 Grad I/A-Gew.	V4A	"1.1/4" x 00,0 mm"	.	87	499,09	STK
47-000233	T.-Stück IG „DIN 2987	V4A	"1.1/4" x 88,0 mm"	.	240	0	STK
47-000269	Skt.-Red.Stück	V4A	"1.1/4" x 1" x 30,0 mm"	.	115	0	STK
47-000314	Versch. KO. I-Gew.	V4A	"1.1/4" x 55,0 mm"	.	-5	99,09	STK
47-	Versch. FL. I-Gew.	V4A	"1.1/4" x 55,0	.	22	0	STK

000325			mm"				
47-000334	Verschr. KO. I/A-Gew.	V4A	"1.1/4 "" x 74,0 mm"	.	60	0	STK
47-000890	Skt. - Doppelnippel Gewinde DIN 259	V4A	"1.1/4 "" x 54,0 mm"	.	143	149,09	STK
47-000969	Skt.-Stopfen	V4A	"1.1/4 "" x 31,0 mm"	.	177	99,09	STK
47-001025	Rohrnippel DIN 2982	V4A	"1 1/4 "" x 38,0 mm"	.	352	0	STK
47-001180	Red. - Muffen	V4A	"1 1/4 "" X 1/2 ""	.	40	0	STK
47-001183	Reduziermuffen „DIN 2988	V4A	"1.1/4 "" x 1 "" x 48,5 mm"	.	34	0	STK
47-001188	Skt.-Red.-Nippel	V4A	"1.1/4 "" x 1 "" x 46,0 mm"	.	76	99,09	STK
47-001194	Verschr. FL.I/A-Gew.	V4A	"1.1/4 "" x 74,0 mm"	.	43	49,09	STK
47-001202	Verschr. KO. S/S-Ende	V4A	"1.1/4 "" x 54,0 mm"	.	16	0	STK
47-000102	Verschr. FL. S/S-Ende	V4A	"1.1/4 "" x 54,0 mm"	.	0	0	STK
47-000067	Rohrdoppelnippel	V4A	"1.1/4 "" X 60"	.	0	0	STK
47-000010	Halbe Muffen „hnl.DIN 2986	V4A	"1.1/2 "" x 23,0 mm"	.	277	0	STK
47-000034	Muffen „hnl.DIN 2986	V4A	"1.1/2 "" x 48,0 mm"	.	1400	999,09	STK
47-000051	Anschweissnippel Gewinde nach DIN 2999	V4A	"1.1/2 "" x 50,0 mm"	.	933	0	STK
47-000106	Rohrdoppelnippel DIN 2982	V4A	"1.1/2 "" x 80,0 mm"	.	206	0	STK
47-000127	Rohrnippel DIN 2982	V4A	"1.1/2 "" x 38,0 mm"	.	217	0	STK
47-000138	Skt. - Doppelnippel Gewinde DIN 259	V4A	"1.1/2 "" x 56,0 mm"	.	211	0	STK
47-000171	Skt.-Kappen	V4A	"1.1/2 "" x 31,5 mm"	.	12	99,09	STK
47-000182	Vkt.-Stopfen	V4A	"1.1/2 "" x 16,0 mm"	.	141	0	STK
47-000193	Skt.-Stopfen	V4A	"1.1/2 "" x 31,5 mm"	.	46	99,09	STK
47-000214	Winkel 90 Grad I-Gew.	V4A	"1.1/2 "" x 00,0 mm"	.	933	0	STK
47-000224	Winkel 90 Grad I/A-Gew.	V4A	"1.1/2 "" x 00,0 mm"	.	28	99,09	STK
47-000234	T.-Stück IG „DIN 2987	V4A	"1.1/2 "" x 96,0 mm"	.	154	0	STK
47-	Reduziermuffen „DIN 2988	V4A	"1.1/2 "" x 1.1/4	.	54	0	STK

000249			" x 54,0 mm"				
47-000272	Skt.-Red.-St \square ck	V4A	"1.1/2" x 1" x 30,5 mm"	.	104	0	STK
47-000273	Skt.-Red.-St \square ck	V4A	"1.1/2" x 1.1/4" x 30,5 mm"	.	61	0	STK
47-000315	Verschr. KO. I-Gew.	V4A	"1.1/2" x 57,5 mm"	.	38	99,09	STK
47-000326	Verschr. FL. I-Gew.	V4A	"1.1/2" x 57,5 mm"	.	9	99,09	STK
47-000335	Verschr. KO. I/A-Gew.	V4A	"1.1/2" x 76,0 mm"	.	33	0	STK
47-000651	Verschr. KO. S/S-Ende	V4A	"1.1/2" x 57,0 mm"	.	30	0	STK
47-001181	Red. - Muffen	V4A	"1 1/2" X 3/4"	.	54	0	STK
47-001195	Verschr. FL.I/A-Gew.	V4A	"1.1/2" x 76,0 mm"	.	0	99,09	STK
47-001209	Skt.-Red.-Nippel	V4A	"1.1/2" x 1.1/4" x 51,0 mm"	.	40	0	STK
47-000011	Halbe Muffen „hnl.DIN 2986	V4A	"2" x 27,0 mm"	.	122	0	STK
47-000035	Muffen „hnl.DIN 2986	V4A	"2" x 56,0 mm"	.	524	499,09	STK
47-000053	Anschweissnippel Gewinde nach DIN 2999	V4A	"2" x 50,0 mm"	.	883	0	STK
47-000054	Anschweissnippel Gewinde nach DIN 2999	V4A	"2" x 100,0 mm (Sonderbaul„nge)"	.	1	0	STK
47-000115	Rohrdoppelnippel DIN 2982	V4A	"2" x 100,0 mm"	.	132	0	STK
47-000116	Rohrdoppelnippel „DIN 2982	V4A	"2" x 200,0 mm (Sonderbaul„nge)"	.	32	0	STK
47-000128	Rohnippel DIN 2982	V4A	"2" x 45,0 mm"	.	434	0	STK
47-000139	Skt. - Doppelnippel Gewinde DIN 259	V4A	"2" x 63,0 mm"	.	204	0	STK
47-000172	Skt.-Kappen	V4A	"2" x 35,0 mm"	.	439	0	STK
47-000183	Vkt.-Stopfen	V4A	"2" x 19,0 mm"	.	25	0	STK
47-000194	Skt.-Stopfen	V4A	"2" x 35,0 mm"	.	205	0	STK
47-000215	Winkel 90 Grad I-Gew.	V4A	"2" x 00,0 mm"	.	119	149,09	STK
47-000225	Winkel 90 Grad I/A-Gew.	V4A	"2" x 00,0 mm"	.	27	99,09	STK
47-000235	T.-St \square ck IG „DIN 2987	V4A	"2" x 110,0 mm"	.	201	0	STK
47-	Red. - Muffen	V4A	"2" X 1.1/4"	.	0	0	STK

000252							
47-000302	Skt.-Red.-Nippel	V4A	"2 "" x 1.1/2 "" x 63,4 mm"	.	36	0	STK
47-000316	Versch. KO. I-Gew.	V4A	"2 "" x 64,0 mm"	.	25	49,09	STK
47-000336	Versch. KO. I/A-Gew.	V4A	"2 "" x 83,0 mm"	.	67	99,09	STK
47-000999	Versch. FL. I-Gew.	V4A	"2 "" x 64,0 mm"	.	6	0	STK
47-001130	Skt.-Red.-Stück	V4A	"2 "" x 1.1/2 "" x 33,5 mm"	.	88	0	STK
47-001166	KREUZSTUECKE	V4A	"2 ""	.	0	0	STK
47-001177	Versch. FL. S/S-Ende	V4A	"2 "" x 59,0 mm"	.	10	0	STK
47-001185	Reduziermuffen „DIN 2988	V4A	"2 "" x 1 1/2 "" x 56,5 mm"	.	67	0	STK
47-001196	Versch. FL.I/A-Gew.	V4A	"2 "" x 83,0 mm"	.	-2	0	STK
47-001203	Versch. KO. S/S-Ende	V4A	"2 "" x 59,0 mm"	.	0	82,09	STK
47-001214	Skt.-Red.-Stück	V4A	"2 "" x 1 "" x 33,5 mm"	.	182	0	STK
47-000012	Halbe Muffen „hnl.DIN 2986	V4A	"2.1/2 "" x 32,0 mm"	.	62	0	STK
47-000036	Muffen „hnl.DIN 2986	V4A	"2.1/2 "" x 65,0 mm"	.	79	0	STK
47-000055	Anschweissnippel Gewinde nach DIN 2999	V4A	"2.1/2 "" x 60,0 mm"	.	185	0	STK
47-000117	Rohrdoppelnippel DIN 2982	V4A	"2.1/2 "" x 100,0 mm"	.	29	0	STK
47-000140	Skt. - Doppelnippel Gewinde DIN 259	V4A	"2.1/2 "" x 73,0 mm"	.	120	0	STK
47-000195	Skt.-Stopfen	V4A	"2.1/2 "" x 43,0 mm"	.	20	0	STK
47-000216	Winkel 90 Grad I-Gew.	V4A	"2.1/2 "" x 00,0 mm"	.	182	0	STK
47-000616	Vkt.-Stopfen	V4A	"2.1/2 "" x 20,0 mm"	.	119	0	STK
47-000642	Winkel 90 Grad I/A-Gew.	V4A	"2.1/2 "" x 00,0 mm"	.	78	0	STK
47-000687	Rohrnippel DIN 2982	V4A	"2.1/2 "" x 55,0 mm"	.	204	0	STK
47-000771	Skt.-Red.-Stück	V4A	"2.1/2 "" x 2 "" x 40,0 mm"	.	11	49,09	STK
47-000779	Versch. KO. I/A-Gew.	V4A	"2.1/2 "" x 92,0 mm"	.	43	0	STK
47-	Versch. KO. S/S-Ende	V4A	"2.1/2 "" x 69,5	.	18	0	STK

001002			mm"				
47-001014	Skt.-Kappen	V4A	"2.1/2 "" x 38,0 mm"	.	982	0	STK
47-001026	Versch. FL.I/A-Gew.	V4A	"2.1/2 "" x 92,0 mm"	.	3	19,09	STK
47-001245	T.-Stück IG „DIN 2987	V4A	"2.1/2 "" x 131,0 mm"	.	138	0	STK
47-000018	Versch. FL. S/S-Ende	V4A	"2.1/2 "" x 69,5 mm"	.	51	0	STK
47-000104	Versch. KO. I-Gew.	V4A	"2.1/2 "" x 71,0 mm"	.	4	19,09	STK
47-000037	Muffen „hnl.DIN 2986	V4A	"3 "" x 71,0 mm"	.	130	0	STK
47-000056	Anschweissnippel Gewinde nach DIN 2999	V4A	"3 "" x 70,0 mm"	.	239	0	STK
47-000174	Skt.-Kappen	V4A	"3 "" x 41,0 mm"	.	85	0	STK
47-000237	T.-Stück IG „DIN 2987	V4A	"3 "" x 146,5 mm"	.	73	0	STK
47-000431	Skt.-Stopfen	V4A	"3 "" x 45,0 mm"	.	20	0	STK
47-000522	Versch. FL. S/S-Ende	V4A	"3 "" x 81,5 mm"	.	77	0	STK
47-000591	Winkel 90 Grad I-Gew.	V4A	"3 "" x 00,0 mm"	.	63	0	STK
47-000625	Versch. KO. S/S-Ende	V4A	"3 "" x 81,5 mm"	.	66	0	STK
47-000699	Rohnippel DIN 2982	V4A	"3 "" x 60,0 mm"	.	182	0	STK
47-000752	Skt.-Red.-Stück	V4A	"3 "" X 2 "" x 43,0 mm"	.	74	0	STK
47-000785	Versch. KO. I/A-Gew.	V4A	"3 "" x 104,0 mm"	.	54	0	STK
47-000795	Vkt.-Stopfen	V4A	"3 "" x 22,0 mm"	.	85	0	STK
47-000961	Winkel 90 Grad I/A-Gew.	V4A	"3 "" x 00,0 mm"	.	58	0	STK
47-000974	Skt. - Doppelnippel Gewinde DIN 259	V4A	"3 "" x 77,0 mm"	.	27	0	STK
47-001031	Versch. FL.I/A-Gew.	V4A	"3 "" x 104,0 mm"	.	33	0	STK
47-001119	Halbe Muffen „hnl.DIN 2986	V4A	"3 "" x 35,0 mm"	.	57	0	STK
47-001141	Versch. FL. I-Gew.	V4A	"3 "" x 84,0 mm"	.	76	0	STK
47-001242	Versch. KO. I-Gew.	V4A	"3 "" x 84,0 mm"	.	35	0	STK
47-	SKT-R-NIP.	V4A	"3 "" X 2.1/2 ""	.	64	0	STK

000019							
47-000574	Rohrdoppelnippel DIN 2982	V4A	"3 "" x 120,0 mm"	.	16	0	STK
47-000057	Anschweissnippel Gewinde nach DIN 2999	V4A	"4 "" x 80,0 mm"	.	151	0	STK
47-000103	Skt.-Stopfen	V4A	"4 "" x 48,0 mm"	.	80	0	STK
47-000119	Rohrdoppelnippel DIN 2982	V4A	"4 "" x 120,0 mm"	.	14	0	STK
47-000658	Muffen „hnl.DIN 2986	V4A	"4 "" x 83,0 mm"	.	141	0	STK
47-000724	Rohrnippel DIN 2982	V4A	"4 "" x 65,0 mm"	.	204	0	STK
47-000774	Vkt.-Stopfen	V4A	"4 "" x 22,0 mm"	.	69	0	STK
47-000834	Skt.-Kappen	V4A	"4 "" x 47,0 mm"	.	50	0	STK
47-000842	Skt. - Doppelnippel Gewinde DIN 259	V4A	"4 "" x 83,0 mm"	.	83	0	STK
47-000881	Halbe Muffen „hnl.DIN 2986	V4A	"4 "" x 40,0 mm"	.	132	0	STK
47-001100	Skt.-Red.-Stück	V4A	"4 "" x 3 "" x 47,0 mm"	.	62	0	STK
47-001331	T.-Stück IG „DIN 2987	V4A	"4 "" x 155,0 mm"	.	55	0	STK
47-000114	Anschweissnippel	1.4571	"1 1/2 "" X 50 "" zylindrisches Gewinde ""	.	210	0	STK
47-000113	Anschweissnippel	1.4571	"2 "" X 50 "" zylindrisches Gewinde ""	.	253	0	STK